UNITED STATES DEPARTMENT OF AGRICULTURE

FEDERAL HORTICULTURAL BOARD

WASHINGTON, D. C.

LETTER OF INFORMATION NO. 22.

August 1, 1916.

DEAR SIR: Perhaps the most important interception made since the issuance of Letter of Information No. 21 has been the finding of citrus canker on citrus from Java, Philippine Islands, and Straits Settlements. A single empty cocoon and larval skin of the gipsy moth has been detected on apple stock from France, and two complete and six partial egg masses of the gipsy moth have been taken on Thuya from Japan. One empty and two complete nests of the browntail moth have been located on fruit stock from France.

Dead larvae of the pink boll worm have been found in cotton seed from China. This cotton seed was exhibited at the San Francisco Exposition in boxes covered with glass, and at the close of the Exposition was turned over to the Department of Agriculture. The mango weevil has been taken from mango seed from Siam, and what appears to be an olive pest, Parlatoria calianthina, on olive from Greece. Cocoanut plants from Honduras exhibited an infestation of Aspidiotus palmae, and cinnamon from Jamaica was infested with the pyriform scale (Pulvinaria pyriformis).

In this and future Letters of Information no reference will be made to such indefinite records as "Coleoptera," "Lepidoptera," "larvae," "eggs," etc. Reports containing such information are frequently received, and it is earnestly requested that definite records be furnished concerning future interceptions. In case of doubt this office will gladly assist in the identification of pests intercepted.

Yours, very truly,

C. L. MARLATT, Chairman of Board.

56600--16-----1



LIST, BY COUNTRIES, OF PESTS COLLECTED.

[The number in parentheses following name of host indicates the number of times reported.]

	Country of origin and name of pest.	Host.
	ARABIA.	
]	nsects: Rhizopertha dominica (lesser grain borer) Tribolium confusum (confused flour beetle)	Yeheb nuts (1). Do.
,	ARGENTINA.	
	Disease: Heterodera radicicola (nematode)	Solanum sp. (wild potato) (1).
	AUSTRALIA.	
_	nsect: Sitodrepa panicea (Ptinidae)	Grass seed (1).
1	Diseases: Cladosporium carpophilum	Prunus persica (1).
	Fusarium spGloeosporium opuntiae	Opuntia sp. (1).
	HelminthosporiumPuccinia graminis	Wheat (3). Wheat (1).
	BELGIUM.	
I	nsects: Aleyrodes sp. (white fly)	Azalea (1).
, «·	Aspidiotus britannicus (scale insect)	Bay (2).
	Diaspis echinocacti (acti (scale insect)	Cactus (1).
I	Diseases: Exobasidium rhododendri.	
	Exobasidium rioudelidri Exobasidium sp. Volutella buxi	
	BERMUDA.	,
I	nsects:	G 1 (1)
	Diaspis zamiae (scale insect)	Sago palm (1). Metroxylon sagu (1).
_	BRAZIL.	
1	nsects: Calandra oryza (rice weevil)	Pera de campo seeds (1), pitanga seeds (1).
	Carpophilus dimidiatus (sap-beetle)	Cacti (1).
	Caryoborus bactris (Bruchidae)	
	Cerataphis lataniae (palm aphis)	Pera de campo seeds (1). Orchid (1).
	Chrysauginae, larva of (Pyralidae)	Do. Do.
	Microcentrum sp., eggs	Do.
	Pseudococcus sp. (mealy bug)	Do. Cacti (1).
Г	viseases: Chaetodiplodia sp	Orchid (1).
	Colletotrichum lindemuthianum	Phaseolus lunatus (white Lima bean) (1). Theobroma cacao (cacao fruits) (1).
	BRITISH GUIANA.	, ,
I	t-	
	Bruchus n. sp. (weevil)	Dolichos lablab (1).

Country of origin and name of pest.	Host.
CANADA.	
Disease: Uromyces hedysari-obscuri	Hedysarum boreale (1).
CANAL ZONE.	
Insects: Aspidiotus cyanophylli (scale insect) Chrysomphalus personatus (masked scale) Hemichionaspis minor (white scale of cotton) Rhizoglyphus hyacinthi (bulb mite) Targionia biformis (scale insect) Diseases:	Do. Do. White Yampee (yam) (1).
Diplodia tubericola (Java black rot)	Colocasia sp. (twin dasheen) (1), yam (3).
CHILE.	•
Insects: Aspidiotus hederaė (ivy scale) Blapstinus punctulatus. Brachymyrmex levis var. fusculus (ant) Trogosita virescens.	Do. Do.
CHINA.	
Insects: Aspidiotus perniciosus (San Jose scale). Bruchus obtectus (bean weevil). Bruchus sp. (weevil). Gelechia gossypiella (pink boll worm). Parlatoria chinensis (scale insect). Diseases: Helminthosporium sp.	Paradise tree seed (1). Soap bean (1). Cotton seed (1). Peach (2).
Puccinia graminis. Tilletia foetens.	. Wheat (1).
COLOMBIA. Insects:	
Camponotus sp. (ant). Cyphomyrmex salvini (undescribed variety of fungus-growing ant) Dermestes vulpinus (beetle). Leaf miners. Noctuid larva. Odontomachus haematoda (ant). Periplaneta australasiae (Australian roach). Telephanus sp. (Cucujidae). Tenthecoris bicolor (Capsidae). Tetramorium guineense (ant).	Do. Do. Do. Do. Orchid (?) (1). Orchid, but not an orchid insect (1). Orchid (4).
COSTA RICA.	
Insects: Cerataphis lataniae (palm aphis). Coccus elongatus (long scale). Lepidosaphes gloverii (Glover's scale). Lepidosaphes sp. (scale insect). Parlatoria crotonis (scale insect).	Croton leaves (2). Croton leaves (1). Croton leaves (3).
CUBA. Insects:	
Cerataphis lataniae (palm aphis). Diaspis boisduvalii (scale insect). Hopatrinus pallus (Tenebrionidae). Pseudaonidia articulatus (scale insect). Pseudococcus sp. (mealy bug). Red spider.	Latania borbonica (1). Pine (1). Pandanus sp. (1) Pineapple slips (plants) (1).
Insects	Vicia faba (1).
Bruchus sp. (weevil)	Do.

Country of origin and name of pest.	Host.
ENGLAND.	
Insects:	(1)
Anystis sp.	Cytisus dallimorei (1).
Aphid eggs.	Apple (1).
Aphids.	Staphylea colchica (?) (1).
Bryobia pratensis (clover mite).	
Chionaspis salicis (scale insect)	Green ash cross-stick (1).
Emphytus cinctus (sawfly)	Do.
Eriosoma lanigera (woolly aphis). Lepidosaphes ulmi (oyster-shell scale).	Apple (1).
Rhizoglyphus hyacinthi (bulb mite).	Apple (1) , Crataegus (1) . Montbretias bulbs (1) .
Sitodrepa panicea (Ptinidae)	Tomato seed (1).
Tingitid eggs (lacewing).	Rhododendron (1).
Tyroglyphus siro (mite).	Rose cuttings (1).
Diseases:	Hose carrings (1).
Racterium tumefaciens (crown call)	Peach (1), raspberry (1), rose stocks (9).
Bacterium tumefaciens (crown gall)	Apple (1).
Botrytis sp.	Scotch broom (1), Viola (1).
Botrytis sp. Conidia & Sclerotia.	Cypella Herbertis (1).
Cladosporium sp.	Raspberry (4).
Coniothyrium fuckelli	Do.
Corticium vagum var solani	Irish potato (3)
Oospora scabies (common potato scab)	Irish potato (2).
Oospora scables (common potato scab)	Raspberry (1), Syringa losika (1).
Phragmidium	
Sclerotia	Cypella platensis (1).
Spongospora subterranea (powdery scab)	Irish potato (3).
FRANCE.	
nsects:	
Apatela auricoma (dagger moth)	Barberry (1), Caragana arborescens (1) cherry (2), fruit stocks (1), pear (1)
	cherry (2), fruit stocks (1), pear (1)
	plum seedlings (1), rose (1), Spires sorbifolia (1), Weigelia rosea (1).
	sorbifolia (1), Weigelia rosea (1).
Aphid eggs	Beech (1).
Aphids	Apple (1), barberry (4), mountain laure (1), Picea excelsa (1).
Aulacaspis rosae (rose scale)	(1), Ficea excessa (1). Rose (1).
Borers.	Birch, near root portion (1); Bolleans
Doros	poplars, in roots of (1); Malus angusti
	folia, root of (1).
Coccus hesperidum (soft brown scale)	Evergreen shrubs (1).
Emphytus cinctus (sawfly).	
Epidiaspis piricola (European pear scale)	Rose (6)
	Rose (6)
Eriosoma lanigera (wooly aphis)	
Eriosoma lanigera (wooly aphis).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8). Doucin stock (1), flowering
Eriosoma lanigera (wooly aphis).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruce
Eriosoma lanigera (wooly aphis)	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruce trees (1).
Eriosoma lanigera (wooly aphis)	Rose (6) Apple (1), fruit tree stocks (1), pear (2) Apple (8), Doucin stock (1), flowerin crab trees (1), fruit stocks (1), spructrees (1) Pear (4).
Eriosoma lanigera (wooly aphis) Eriosoma sp Euproctis chrysorrhoea (brown-tail moth) (empty nest)	Rose (6) Apple (1), fruit tree stocks (1), pear (2) Apple (8), Doucin stock (1), flowerin, crab trees (1), fruit stocks (1), spructrees (1) Pear (4) Fruit stocks (1).
Eriosoma lanigera (wooly aphis) Eriosoma sp Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest)	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid)	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spructrees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1). Picea sp. (1).
Eriosoma lanigera (wooly aphis) Eriosoma sp Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Lachnus sp, (aphid)	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruct trees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1). Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1)
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Lachnus sp. (aphid) Laria pisorum (bean weevil).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruce trees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1) Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest). Euproctis chrysorrhoea (brown-tail moth) (nest). Lachnus fasciatus (aphid). Lachnus hyalinus (aphid). Lachnus sp. (aphid). Laria pisorum (bean weevil). Laria rufimana (weevil).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spructrees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1). Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1). Do
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leaf roller	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spructrees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1) Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1). Do Hypericum patulum (1).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest). Lachnus fasciatus (aphid). Lachnus hyalinus (aphid). Laria pisorum (bean weevil). Laria rufimana (weevil). Leaf roller. Lecanium sp. (scale insect).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruc trees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1). Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1). Do. Hypericum patulum (1). Fraxinus sp. (1).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest). Lachnus fasciatus (aphid). Lachnus hyalinus (aphid). Laria pisorum (bean weevil). Laria rufimana (weevil). Leaf roller	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest). Euproctis chrysorrhoea (brown-tail moth) (nest). Lachnus fasciatus (aphid). Lachnus hyalinus (aphid). Lachnus sp. (aphid). Laria pisorum (bean weevil). Laria rufimana (weevil). Leaf roller Lecanium sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale).	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leaf roller Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale). Monarthropalpus buxi (box leaf miner).	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leari rufimana (weevil) Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale). Monarthropalpus buxi (box leaf miner). Notolophus antiqua (European tussock moth) (cocoons).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruce trees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1) Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1). Do. Hypericum patulum (1). Fraxinus sp. (1). Apple (1), boxwood (1), pear (1), plum (1). Boxwood (2). Cherry (1), fruit tree stocks (2).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leaf roller Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale). Monarthropalpus buxi (box leaf miner). Notolophus antiqua (European tussock moth) (cocoons) Notolophus antiqua (European tussock moth) (egg mass).	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruce trees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1) Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1). Do. Hypericum patulum (1). Fraxinus sp. (1). Apple (1), boxwood (1), pear (1), plun (1). Boxwood (2). Cherry (1), fruit tree stocks (2). Birch (1), cherry (1), plum (2), rose (2).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Lachnus sp. (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leaf roller Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale) Monarthropalpus buxi (box leaf miner) Notolophus antiqua (European tussock moth) (cocoons) Notolophus antiqua (European tussock moth) (egg mass) Porthetria dispar (gipsy moth) (empty cocoon and larval skin)	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus sp. (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leari rufimana (weevil) Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale). Monarthropalpus buxi (box leaf miner). Notolophus antiqua (European tussock moth) (cocoons). Notolophus antiqua (European tussock moth) (egg mass). Porthetria dispar (gipsy moth) (empty cocoon and larval skin) Red spider.	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid) Lachnus hyalinus (aphid) Laria pisorum (bean weevil) Laria rufimana (weevil) Leari rufimana (weevil) Leeanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale). Monarthropalpus buxi (box leaf miner). Notolophus antiqua (European tussock moth) (cocoons). Notolophus antiqua (European tussock moth) (egg mass). Porthetria dispar (gipsy moth) (empty cocoon and larval skin) Red spider.	Rose (6).
Eriosoma lanigera (wooly aphis) Eriosoma sp. Euproctis chrysorrhoea (brown-tail moth) (empty nest) Euproctis chrysorrhoea (brown-tail moth) (nest) Lachnus fasciatus (aphid). Lachnus hyalinus (aphid). Lachnus sp. (aphid). Laria pisorum (bean weevil). Laria rufimana (weevil). Leaf roller Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale). Monarthropalpus buxi (box leaf miner). Notolophus antiqua (European tussock moth) (cocoons). Notolophus antiqua (European tussock moth) (egg mass) Porthetria dispar (gipsy moth) (empty cocoon and larval skin)	Rose (6). Apple (1), fruit tree stocks (1), pear (2). Apple (8), Doucin stock (1), flowering crab trees (1), fruit stocks (1), spruce trees (1). Pear (4). Fruit stocks (1). Fruit stocks (1), paradise apple stocks (1) Picea sp. (1). Picea excelsa (3). Juniperus virginiana (1) Peas (1). Do. Hypericum patulum (1). Fraxinus sp. (1). Apple (1), boxwood (1), pear (1), plun (1). Boxwood (2). Cherry (1), fruit tree stocks (2). Birch (1), cherry (1), plum (2), rose (2). Apple stock (1). Pittosporum plants (1). Quince (1). Lettuce seed (1).

Country of origin and name of pest.	Host.
FRANCE—continued.	
Diseases:	A 1 (1)
Ascomycete, immature	Apple stock (1).
Bacillus amylovorus (blight)	Pear (1).
Bacterium tumefaciens (crown gall)	Alnus glutinosa (1), apple (2), Crataegus
	coccinea (1), Crataegus sp. (1), Cydonia
	japonica (1), Doucin stocks (1), fruit
	stocks (4), Japanese quince (1), Lonicera
	(2), pear (7), plum (1), Prunus pissardi (1), Prunus sp. (1), rose (4), snowball
	(1), Syringa (1), Weigelia (1).
Bacterium tumefaciens (hairy root)	Apple (5), Paradise apple stocks (1).
Dendrodochium albo-cinereum	
Frankia sp. (root knot)	Elaeagnus (1).
Fusarium sp	Canna roots (1).
Nectria sp	Maple (1).
Nematodes in twigs	Prunus persica (peach) (1).
Phoma sp	Cherry (1).
Phyllosticta sp	Cherry (1). Cornus sanguinea (1). Coronilla
	emerus (1), linden (1).
GREECE.	
nsects:	Astrogolus good (1)
Bruchophagus sp	Astragalus seed (1) Olive trees (1).
Saissetia oleae (black scale)	Do.
	Do.
Disease: Sphace lotheca sorghi (smut)	Andropogon sorghum (broom corn) (1).
GUADELOUPE, FRENCH WEST INDIES.	
n anota:	
Pseudococcus citri (citrus mealy bug)	Chayotes (1) Do.
GUATEMALA.	
Disease:	3771 4 (1)
Puccinia graminis	Wheat (1).
HOLLAND,	
nsects: Agelastica alni (Chrysomelidae)	Boxwood (1), evergreen shrubs (1), ? (2).
Agriotes sp	In soil around azaleas (1), in soil around
-	rhododendrons (1)
Apanteles sp	Azalea (1).
Anatala auricoma (dagger moth) (DIDA)	Rose (1).
Aphid eggs	Beech (1), pirch (2), Norway maple (1).
Aphids	Apple (1), barberry (2), Crataegus (1), maple (4), Picea alba (1).
1	maple (4), Picea alba (1).
Bombus sp	Boxwood (1).
Consid	Myropolan plums (1).
Chaitanharus aceris (aphid)	Norway maple (3).
Chionagnia augnymi (Eugnymus scale)	Euonymus (1).
Chrysomelid (beetle)	Evergreen shrubs (1).
Coccus hesperidum (soft brown scale)	Day (2).
Diaspis carueli (Juniper scale).	reevesiana (1).
Elaterid larvae (wireworms)	In soil around Clematis (1).
Friendryg huvi (mita)	Boxwood (1).
Eriophyes buxi (mite)	. Malus—flowering crab (1).
Teef homen nymph	Boxwood (1)
T 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Apple (3), beech, purple (1), boxwood
Lepidosapnes uimi (oyster-siteti scate)	(90), Crataegus (1), evergreen shrubs
Lepidosaphes ulmi (oyster-shell scale)	(1), Japanese maples (1), mountain ash
	(Sorbus americana) (1), pear (2).
Leptobyrsa explanata (Tingitidae) (eggs)	(Sorbus americana) (1), pear (2). Rhododendron (5)

Country of origin and name of pest.	Host.
HOLLAND—continued.	
Insects—Continued.	
Mites. Monarthropalpus buxi (box leaf miner).	Boxwood (2).
Monarthropalpus buxi (box leaf miner)	Boxwood (6).
Myzus sp. (aphid)	Hortensia (1).
Notolophus antiqua (European tussock moth) (eggs)	Azalea (1), Boxwood (1), Magnolia (1),
Dl11	maple (3), rose (1).
Phyllaphis fagi (eggs)	Beech (1).
Pseudococcus sp. (mealy bug) Psylla buxi (box psylla)	Boxwood (1), Camellia (1). Boxwood (22).
Red spiders	DOXWOOD (22).
751 * ^1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sciadopitys (1), Taxus (1). Hyacinth bulb (1).
Slugs	Spruce (1).
Tingitid eggs (lacewing).	Rhododendron (3).
Wireworms.	In dirt surrounding roots of Retinospora
, with own of this	sp. (1).
Diseases:	sp. (1).
Bacterium tumefaciens (crown gall)	Clematis (1); Cytisus laburnum (1);
2400014111 041110110110101010101010101010	flowering cherry (2): horse chestnut
	flowering cherry (2); horse chestnut, root of (1); hydrangea (2); maple (1);
	rogo (2)
Bacterium tumefaciens (hairy root)	Malus spectabilis (1), Rhododendron (2).
Botrytis cinerea	Rose (1).
Botrytis sp	Lathyrus sp. (pea family) (2), rose (1).
Fusarium sp	Rose (1)
Nectria cinnabarina (coral-spot fungus)	Maple (2).
Pestalozzia guepini	Andromeda (1), rhododendron (13).
Pestalozzia sp	Andromeda (1), rhododendron (13). Kalmia latifolia (?) (1), rhododendron (4).
Phyllosticta aucubicola	Aucuba (1).
Phyllosticta magnoliae	Magnolia (1).
Phyllosticta sp	
	dron (1).
Twig blight Vermicularia sp.	Pear stock (1).
Vermicularia sp	Lathyrus sylvestris (pea family) (1).
volutena buxi	Boxwood (3).
HONDURAS.	
Insects:	
Aleyrodes sp. (white fly)	Coconut plants (1).
Aspidiotus (Hemiberlesia) palmae (scale insect).	Do.
Aspidiotus (Hemiberlesia) palmae (scale insect)	Do.
Pinnaspis buxi (scale insect)	Do.
Pseudococcus virgatus farinosus (mealy bag)	Do.
Pseudococcus sp. (mealy bug)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Palm seeds (1).
Disease:	
Gloeosporium opuntiae	Cactus plants (1).
INDIA.	
Diseases:	
Alternaria sp.	Wheat (1).
Cladosporium citri	Hesperethusa crenulata (1), Limonia
TR	acidissima (1).
Fusarium sp.	Wheat (1).
Helminthosporium sp	Do.
Phyllachora tricholaenae	
Puccinia graminis	Wheat (3)
TOWN	
Diseases:	
Corticium vagum, var. solani (Rhizoctonia)	Irish potato (1).
Spongospora subterranea (powdery scab).	Do.
~ pompospora autournanca (pondery seas)	20.
ISLE OF PINES.	•
Insect	
Asterolecanium aureum (scale insect)	Orchid (1).
/ / / / / / / / / / / / / / / / / / / /	,

Country of origin and name of pest.	Host.
JAMAICA.	
Insects:	
Aspidiotus camelliae (greedy scale)	Agave Wightii (1).
Chrysomphalus ficus (Florida red scale)	Palm seedling (1).
Diaspis boisduvalii (scale insect)	Do.
Diaspis pentagona (West Indian peach scale)	Jasmine (1).
Hemichionaspis minor (white scale of cotton)	Agave Wightii (1).
Pinnaspis buxi (scale insect)	Dracaena sp. (1).
Pseudaonidia articulatus (scale insect)	Cinnamon (1)
Pseudischnaspis bowreyi (scale insect)	Agave Wightii (1).
Pseudococcus nipae (palm mealy bug)	Cocos nucifera (1).
Pulvinaria pyriformis (pyriform scale)	Cinnamon (1).
Vinsonia stellifera (stellate scale)	Deciduous wild shrub (1).
Diseases:	D
Anthracnose (Gloeosporium sp.)	Prosopis juliflora (1).
Macrophoma sp	Do.
Macrosporium, spotting due to	Do.
Phoma sp., spotting due to.	Do.
nsects: JAPAN.	
Agromyza websteri (wistaria gall fly)	Wistaria (1).
Aleyrodes sp. (white fly)	
Antonina crawii (scale insect)	Bamboo (2).
Aphid eggs	Cherry (1).
Aspidiotus tsugae (hemlock scale)	\dots Hemlock (2).
Ceroplastes ceriferus (wax scale).	Camellia (1).
Chionaspis wistariae (wistaria scale)	Wistaria (1).
Chrysomphalus ficus (Florida red scale)	Aspidistra lurida (1), Olea fragrans (1).
Cicada eggs	Persimmon (3), wistaria (1).
Cicada eggs	Cherry (2), Japanese flowering cherry (1)
Farwig (Forficulidae)	In straw packing of Cycas stems (1).
Gracilaria zachrysa (leaf miner).	Azalea (3).
Grubs white	In straw packing of Cycas stems (1).
Hemichionaspis aspidistrae (aspidistra scale)	Aspidistra (4).
Isotoma sp. (spring tail)	Satoimo tubers (1).
Lepidosaphes lasianthi (scale insect).	Camellia (3).
Lepidosaphes newsteadii (scale insect)	Umbrella pines (2).
Mantis eggs	Persimmon (1), Retinospora obtusa (1),
	umbrella pines (1), ? (1).
Mites	Cycas stems (1).
Noctuid moths adults	In packing (1).
Pachymerus chinensis (cowpea weevil)	In "Nok too" seeds (1).
Paratenodera sinensis, egg mass	Pine (2).
Parlatoria pergandei (chaff scale)	\dots Maple (1).
Parlatoria sp. (scale insect)	Japanese flowering cherry (1).
Porthetria dispar (gipsy moth) (2 complete and 6 partial egg masse	s) Thuva (1).
Pseudaonidia duplex (scale insect)	Azalea (1), Camellia (1).
Pseudaonidia paeoniae (scale insect)	Azalea (2), Camellia (3), Rhododendro
	(1).
Pseudococcus sp. (mealy bug)	Azalea (6), Taonaba (1), Wistaria (1).
Pseudoscorpion	In packing (1).
Payllid	Aralia (1).
Thyridopteryx sp. (bagworm)	Azalea (1), Retinospora obtusa (1), um
	brella pines (1), ? (1).
iseases:	Citrus (23).
Colletotrichum gloeosporioides	Persimmom (1).
Contothyrium sp. Diaporthe parasitica (chestnut-bark disease)	Chestnut (1).
Diaporthe parasitica (chestnut-bark disease)	Aralia cordata (Udo roots) (1), Bet
Fusarium sp.	and (1)
16	seed) (1.) Chestnut (1).
Myxosporium sp	
Phoma sp	Beta (beet seed) (1), Persimmon (1)
	Diospyros sp. (?) (Mame Gaki-Mal tree) (1), Prunus (4).
	ree) (1), Frunus (4).
Pseudomonas citri (canker)	Citrus (5).
Puccinia phyllostachydia	Phyllostachys aurea (1).
Puccinia sp. Uromyces lespedezae	Bambusa vulgaris (bamboo) (1).

Tyroglyphus sp. (mite) Diseases: Aspergillus sp. Colletotrichum gloeosporioides. Coniothyrium sp. Fusarium sp. Lasiodiplodia sp. Phyllosticta sp. Phyllosticta sp. Silvanus signatus (Cucujidae). MEXICO. Insect: Diaspis boisduvalii (scale insect). Tenthecoris bicolor (Capsidae). New ZEALAND. Diseases: Claviceps sp. Fusarium. Ustilago hordei (smut). NICARAGUA. Insect: Catorama sp. (Ptinidae). PERU. Insects: Catorama sp. (Ptinidae). PHILIPPINE ISLANDS. Insects: Diaspis boisduvalii (scale insect). Corchid (1). Drochid (1).	Country of origin and name of pest.	Host.
Tyroglyphus sp. (mite). Aspergillus sp. Aspergillus sp. Colletotrichum gloeosporioides. Corchid (1). Corchid (1	JAVA.	
Diseases: Aspergillus sp. Colletotrichum glocosporioides. Coniothyrium sp. Lasiodiplodin sp. Pseudomona citri (canker). Silvanus signatus (Cucujidae). MADAGASCAR. Silvanus signatus (Cucujidae). Seed Hyphaene coriacea (1). MEXICO. Insect: Diaspis boisduvalii (scale insect) Diseases: Claviceps sp. Funarium. Cerataphis lataniae (palm aphis). Cerataphis lataniae (palm aphis). Cerataphis lataniae (palm aphis). Diseases: PERU. Catorama sp. (Ptinidae). In cotton seed (1). In Halimodendron argenteum (1). Diseases: Perationaria sp. Perudococcus sp. (mealy bug). Diseases: Perationaria sp. Perudococcus sp. (mealy bug). Diseases: Perudococcus sp. (mealy bug). Phoma sp. Pho	Insect:	
Aspergillus sp. Citrus decumana (1). Citrus (1). Coniothyrium sp. Citrus decumana (1). Citrus (1). Coniothyrium sp. Citrus decumana (1). Citrus (1). Citrus (1). Do. D. Lasiodiplodia sp. Nephelium lappaceum (1). Citrus (1). Citrus (1). Citrus (1). Citrus (2). Citrus (2). Citrus (3).		Mangifera caesia (1).
Colletotrichum gloeesporioides	Diseases:	/ ·
Coniothyrium sp. Fusarium sp. Lasiodiplodia sp. Pseudomonas citri (canker). Silvanus signatus (Cucujidae). MADAGASCAR. Silvanus signatus (Cucujidae). Seed Hyphaene coriacea (1). MEXICO. Insect: Disspis boisduvalii (scale insect). Claviceps sp. Fusarium Ustilago hordei (smut). Sinsect: NICARAGUA. Insect: NICARAGUA. Insect: PERU. Catorama sp. (Ptinidae). Insects: Disspis boisduvalii (scale insect). Orchid (1). Orchid (1). Drind (1). Drind (1). Drind (1). Drind (1). Drind (1). Drind (1). Tenthecoris bicolor (Capsidae). NEW ZEALAND. Discases: Claviceps sp. Fusarium Wheat (1). Ustilago hordei (smut). Barley (2). Insect: Catorama sp. (Ptinidae). In cotton seed (1). Insect: PERU. Catorama sp. (Ptinidae). In cotton seed (1). In cotton seed (1). Do. Discases: Phoma sp. Phoma sp. Pestalozzia sp. Phoma sp. Pesudomonas citri (canker). Bruchus sp. (weevil) Discases: Claviceps purpurea. RUSSIA. Bruchus sp. (weevil) Discases: Claviceps purpurea. Agropyron cristatum (3), Agropyron de sertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1). Fraxinus mandschurica (ash) (1).	Aspergillus sp.	Citrus decumana (1).
Fusarium sp		
Lasiodiplodia sp. Phyllosticia sp. Citrus (1). Pseudomonas citri (canker). Citrus (1). Pseudomonas citri (canker). Citrus decumana (1), Citrus sp. (1). MADAGASCAR. Silvanus signatus (Cucujidas). Seed Hyphaene coriacea (1). MEXICO. Diaspis boisduvalii (scale inasect) Do. Orchid (1). Do. Orchid (1). Orchid, wild (1). Tenthecoris bicolor (Capsidas). Orchid (1), Orchid, wild (1). Diseases: Lolium perenne (rye grass) (1). Wheat (1). Barley (2). Sinsect: NICARAGUA. Insect: Peru. Catorama sp. (Ptinidae). Orchid (1). Insects: PHILIPPINE ISLANDS. Diseases: Agel glutinosa (1). Do. Diseases: Agel glutinosa (1). Preudomonas citri (canker). Do. Do. Insect: Russia. Bruchus sp. (weevil). In Halimodendron argenteum (1). Diseases: Agel glutinosa (1). Fumago vagans. Agroyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1).		
Phyllosticts sp		
Pseudomonas citri (canker). Citrus decumana (1), Citrus sp. (1). MADAGASCAR. Silvanus signatus (Cucujidae). MEXICO. MEXICO. MEXICO. MEXICO. Disspis boisduvalii (scale insect) Pseudoparlatoria parlatorioides (scale insect). Discases: Claviceps sp. Fusarium. Ustilago hordei (smut). Cerataphis lataniae (palm aphis). Citrus decumana (1), Citrus sp. (1). Do Orchid (1). Do Orchid (1). Do Orchid (1), Orchid, wild (1). Lolium perenne (rye grass) (1). Wheat (1). Barley (2). Catorama sp. (Ptinidae). In cotton seed (1). FERU. Catorama sp. (Ptinidae). Discases: Disspis boisduvalii (scale insect). Discases: Disspis boisduvalii (scale insect). Pseudococcus sp. (mealy bug). Do. Discases: Pestalomonas citri (canker). Do. Aegle glutinosa (1). Do. Aegle glutinosa (1). Arcopyron cristatum (3), Agropyron de sertorum (3). Syringa emodi (1). Phoma sp. Claviceps purpurea. Scotland. Bruchus sp. (weevil). Discases: Claviceps purpurea. Scotland. Scotland. Brusus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1).	Phyllogieta en	Citrus (1)
Insect: Maxico M	Panidomonas citri (cankar)	Citrus decumana (1) Citrus an (1)
Insect: Silvanus signatus (Cucujidae). Sinsect: Pesudoparlatoria parlatonioides (scale insect). Diseases: Clavicops sp. Fusarium. Ustiago hordei (smut). Sinsect: Silvanus signatus (Cucujidae). Silvanus ZEALAND. Sarley (2). Silvanus ZEALAND. Sarley (2). Silvanus ZEALAND. Silvanus Zealand (1). Silvanus Zealan	I Betttomonas Citti (Cankei)	Old us decumana (1), Old us sp. (1).
Insect: Silvanus signatus (Cucujidae). Sinsect: Pesudoparlatoria parlatonioides (scale insect). Diseases: Clavicops sp. Fusarium. Ustiago hordei (smut). Sinsect: Silvanus signatus (Cucujidae). Silvanus ZEALAND. Sarley (2). Silvanus ZEALAND. Sarley (2). Silvanus ZEALAND. Silvanus Zealand (1). Silvanus Zealan	MADAGASCAR.	
Silvanus signatus (Cucujidae) MEXICO. Insects: Diaspis boisduvalii (scale insect) Tenthecoris bicolor (Capsidae) NEW ZEALAND. Diseases: Claviceps sp. Claviceps sp. Cerataphis lataniae (palm aphis) Insect: Catorama sp. (Ptinidae) Diseases: Pesudococcus sp. (mealy bug) Diseases: Pesudococcus sp. Pesudomonas citri (canker) Russia. Insect: Catorama sp. (weevil) Diseases: Claviceps purpurea Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Fraxinus mandschurica (ash) (1).		
Clasects: Diaspis boisduvalii (scale insect)		Seed Hyphaene coriacea (1).
Disapis boisduvalii (scale insect)		
Pseudoparlatoria parlatorioides (scale insect). Tenthecoris bicolor (Capsidae). NEW ZEALAND. Diseases: Claviceps sp. Fusarium. Ustilago hordei (smut). NICARAGUA. Insect: Cerataphis lataniae (palm aphis). Catorama sp. (Ptinidae). Diseases: Pesudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). RUSSIA. Insect: Bruchus sp. (weevil). Diseases: Claviceps purpurea. RUSSIA. In Halimodendron argenteum (1). Fraxinus mandschurica (ash) (1).	nsects:	0.111(7)
Tenthecoris bicolor (Capsidae). New Zealand.	Diaspis boisduvalii (scale insect)	Orchid (1).
Diseases: Claviceps sp Fusarium. Ustilago hordei (smut). NICARAGUA. (Insect: Cerataphis lataniae (palm aphis). Catorama sp. (Ptinidae). PERU. (Insects: Disapis boisduvalii (scale insect). Peaudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). Bruchus sp. (weevil). Claviceps purpurea. Fusago vagans. Glocosporium sp. Glocosporium sp. Claviceps purpurea. SCOTLAND. SCOTLAND. Diseases: Bacterium tumefaciens (crown gall). SCOTLAND. Lolium perenne (rye grass) (1). Wheat (1). Wheat (1). Barley (2). Crchid (1). Orchid (1). Orchid (1). Orchid (1). Po. Do. Do. Do. Do. Agle glutinosa (1). Do. Do. Do. Agropyron cristatum (3), Agropyron desterorum (3). Syringa emodi (1). Acer egicatum ukurunduense (maple (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).	Pseudoparlatoria parlatorioides (scale insect)	Do.
Diseases: Claviceps sp Fusarium. Ustilago hordei (smut). NICARAGUA. Insect: Cerataphis lataniae (palm aphis). Catorama sp. (Ptinidae). Diseases: Diseases: Diseases: Pestalozzia sp. Phoma sp Phoma sp Pseudomonas citri (canker). RUSSIA. Insect: Claviceps purpurea. RUSSIA. Eliseases: Claviceps purpurea. Funago vagans. Gloeosporium sp Gloeosporium sp SCOTLAND. Diseases: Bacterium tumefaciens (crown gall). SCOTLAND. Diseases: Bacterium tumefaciens (crown gall). Rochid (1). Dorchid (1). Do. Dorchid (1). Aggle glutinosa (1). Do. Do. Agropyon cristatum (3), Agropyon desectorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1), Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).	Tenthecoris bicolor (Capsidae)	Orchid (1), Orchid, wild (1).
Diseases: Claviceps sp. Fusarium. Ustilago hordei (smut). NICARAGUA. Insect: Cerataphis lataniae (palm aphis). Catorama sp. (Ptinidae). Diseases: Diseases: Diseases: Pestalozzia sp. Phoma sp. Pestalozzia sp. Phoma sp. Pestalozzia sp. Phoma sp. Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). RUSSIA. Insect: Claviceps purpurea. Claviceps purpurea. Gleocosporium sp. Gleocosporium sp. SCOTLAND. Diseases: Bacterium tumefaciens (crown gall) SCOTLAND. SCOTLAND. Insect: Bacterium tumefaciens (crown gall) SIAM. Insect: Robiem (rye grass) (1). Wheat (1). Sarley (2).	NAME AND A LAND	
Claviceps sp. Lolium perenne (rye grass) (1). Wheat (1). Barley (2). Insect: NICARAGUA. (Insect: Catorama sp. (Ptinidae). Orchid (1). PERU. (Insects: Diaspis boisduvalii (scale insect). Do. Pestalozzia sp. (mealy bug). Do. Diseases: Pestalozzia sp. (mealy bug). Do. Presudomonas citri (canker). Do. RUSSIA. (Insect: Bruchus sp. (weevil). Do. Funday o vagans. Claviceps purpurea. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Fraxinus mandschurica (ash) (1). Phoma sp. SCOTLAND. Disease: Bacterium tumefaciens (crown gall). Rose (2).		
Fusarium. Ustilago hordei (smut). Insect: Cerataphis lataniae (palm aphis). Catorama sp. (Ptinidae). Peru. Insects: Diaspis boisduvalii (scale insect). Pseudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). Russia. Insect: Claviceps purpurea. Funago vagans. Glaviceps purpurea. Funago vagans. Gloeosporium sp. Claviceps purpurea. Funago vagans. Gloeosporium sp. Scotland. Disease: Bacterium tumefaciens (crown gall) Phoma sp. Scotland. Scotland. Scotland. Rose (2). Wheat (1). Barley (2). Orchid (1). Orchid (1). Orchid (1). Do. Dorchid (1). Do. Aegle glutinosa (1). Do. Do. Agropyon cristatum (3), Agropyon desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).		I olium poroppo (ryo grass) (1)
Ustilago hordei (smut)		
Insect: Cerataphis lataniae (palm aphis). Insect: Catorama sp. (Ptinidae). Diaspis boisduvalii (scale insect). Pesudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Pesudomonas citri (canker). Bruchus sp. (weevil). Diseases: Claviceps purpurea. Claviceps purpurpurpurpurpurpurpurpurpurpurpurpurp		
Insect: Cerataphis lataniae (palm aphis) PERU. Insect: Catorama sp. (Ptinidae) PHILIPPINE ISLANDS. Insects: Diaspis boisduvalii (scale insect) Pesudococcus sp. (mealy bug) Do. Diseases: Pestalozzia sp. Phoma sp. Phoma sp. Pseudomonas citri (canker) Bruchus sp. (weevil) Diseases: Claviceps purpurea Claviceps purpurea Fumago vagans Claviceps purpurea Gloeosporium sp. Claviceps purpurea Scotland Bruchus sp. Claviceps purpurea Claviceps purpurea Scotland Bruchus sp. Claviceps purpurea Claviceps purpurea Sertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Phoma sp. Scotland Disease: Bacterium tumefaciens (crown gall) Rose (2).	Obstago norder (barde)	Dailey (2).
Insect: Cerataphis lataniae (palm aphis) PERU. Insect: Catorama sp. (Ptinidae) PHILIPPINE ISLANDS. Insects: Diaspis boisduvalii (scale insect) Pesudococcus sp. (mealy bug) Do. Diseases: Pestalozzia sp. Phoma sp. Phoma sp. Pseudomonas citri (canker) Bruchus sp. (weevil) Diseases: Claviceps purpurea Claviceps purpurea Fumago vagans Claviceps purpurea Gloeosporium sp. Claviceps purpurea Scotland Bruchus sp. Claviceps purpurea Claviceps purpurea Scotland Bruchus sp. Claviceps purpurea Claviceps purpurea Sertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Phoma sp. Scotland Disease: Bacterium tumefaciens (crown gall) Rose (2).	NICARAGUA.	4
Insect: Catorama sp. (Ptinidae)	Insect:	
Insect: Catorama sp. (Ptinidae)	Cerataphis lataniae (palm aphis)	Orchid (1).
Insect: Catorama sp. (Ptinidae) PHILIPPINE ISLANDS. Insects: Diaspis boisduvalii (scale insect) Pseudococcus sp. (mealy bug) Diseases: Pestalozzia sp Phoma sp Pseudomonas citri (canker) RUSSIA. In Halimodendron argenteum (1). Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Phoma sp Phoma sp Phoma sp SCOTLAND. Disease: Bacterium tumefaciens (crown gall) SLAM. In cotton seed (1). Orchid (1). Do. Do. Aegle glutinosa (1). Po. Do. Do. Acgre pyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).		
Catorama sp. (Ptinidae)		
Insects: Diaspis boisduvalii (scale insect). Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). Bruchus sp. (weevil). Diseases: Claviceps purpurea. Claviceps purpurea. Gloeosporium sp. Gloeosporium sp. Phoma sp. Phoma sp. SCOTLAND. Disease: Bacterium tumefaciens (crown gall). SCOTLAND. Disease: Bacterium tumefaciens (crown gall). Rose (2). Orchid (1). Do. Do. Aegle glutinosa (1). Do. Do. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). SCOTLAND. Disease: Bacterium tumefaciens (crown gall). Rose (2).	insect:	7 (1)
Insects: Diaspis boisduvalii (scale insect). Pseudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Phoma sp. Pseudomonas citri (canker). Insect: Bruchus sp. (weevil). Diseases: Claviceps purpurea. Claviceps purpurea. Fumago vagans. Gloeosporium sp. Phoma sp. Phoma sp. Phoma sp. Claviceps purpurea. Scotland. Disease: Bacterium tumefaciens (crown gall). Scotland. Scotland. Siam. Insect: Russia. In Halimodendron argenteum (1). Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2). Siam.	Catorama sp. (Punidae)	In cotton seed (1).
Insects: Diaspis boisduvalii (scale insect). Pseudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Phoma sp. Pseudomonas citri (canker). Insect: Bruchus sp. (weevil). Diseases: Claviceps purpurea. Claviceps purpurea. Fumago vagans. Gloeosporium sp. Phoma sp. Phoma sp. Phoma sp. Claviceps purpurea. Scotland. Disease: Bacterium tumefaciens (crown gall). Scotland. Scotland. Siam. Insect: Russia. In Halimodendron argenteum (1). Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2). Siam.	PHILIPPINE ISLANDS	
Diaspis boisduvalii (scale insect). Pseudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). Bruchus sp. (weevil). Diseases: Claviceps purpurea. Claviceps purpurea. Fumago vagans. Gloeosporium sp. Phoma sp. Phoma sp. Scotland. Disease: Bacterium tumefaciens (crown gall). SIAM. Orchid (1). Do. Do. Aegle glutinosa (1). Do. Do. Aegle spurpuroa (1). Aregle glutinosa (1). Aegle spurpuroa (1). Aegropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1), Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).	Ingesta:	
Pseudococcus sp. (mealy bug). Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker). Russia. Insect: Bruchus sp. (weevil). Diseases: Claviceps purpurea. Gloeosporium sp. Gloeosporium sp. Phoma sp. Psumago vagans. Gloeosporium sp. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer segmentosum (maple) (1), Fraxinus mandschurica (ash) (1). Phoma sp. Bacterium tumefaciens (crown gall). Rose (2). SIAM.	Diaspis boisduvalii (scale insect)	Orchid (1).
Diseases: Pestalozzia sp. Phoma sp. Pseudomonas citri (canker) RUSSIA. Insect: Bruchus sp. (weevil) Diseases: Claviceps purpurea Claviceps purpurea Fumago vagans Gloeosporium sp. Gloeosporium sp. Phoma sp. Phoma sp. SCOTLAND. Disease: Bacterium tumefaciens (crown gall) SIAM. Agegle glutinosa (1). Agegle glutinosa (1). Agegle glutinosa (1). Agegle glutinosa (1). Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).	Pseudococcus sp. (mealy bug)	Do.
Phoma sp. Pseudomonas citri (canker) Do. RUSSIA. Insect: Bruchus sp. (weevil) In Halimodendron argenteum (1). Diseases: Claviceps purpurea Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Phoma sp. (1), Fraxinus mandschurica (ash) (1). Phoma sp. SCOTLAND. Disease: Bacterium tumefaciens (crown gall) Rose (2). SIAM.	Diseases:	
Phoma sp. Pseudomonas citri (canker) Do. RUSSIA. Insect: Bruchus sp. (weevil) In Halimodendron argenteum (1). Diseases: Claviceps purpurea Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Phoma sp. (1), Fraxinus mandschurica (ash) (1). Phoma sp. SCOTLAND. Disease: Bacterium tumefaciens (crown gall) Rose (2). SIAM.	Pestalozzia sp.	Aegle glutinosa (1).
RUSSIA. Insect: Bruchus sp. (weevil) Diseases: Claviceps purpurea. Fumago vagans. Gloeosporium sp. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Phoma sp. Becotland. Disease: Bacterium tumefaciens (crown gall) Rose (2). SIAM.	Phoma sp	Do.
In Halimodendron argenteum (1). Diseases: Claviceps purpurea. Fumago vagans. Gloeosporium sp. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). SCOTLAND. Disease: Bacterium tumefaciens (crown gall) Rose (2). SIAM.	Pseudomonas citri (canker)	Do.
In Halimodendron argenteum (1). Diseases: Claviceps purpurea. Fumago vagans. Gloeosporium sp. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). SCOTLAND. Disease: Bacterium tumefaciens (crown gall) Rose (2). SIAM.		
Bruchus sp. (weevil) Diseases: Claviceps purpurea. Fumago vagans. Gloeosporium sp. Phoma sp. Phoma sp. Scotland. Disease: Bacterium tumefaciens (crown gall) SIAM. In Halimodendron argenteum (1). Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Rose (2).		
Diseases: Claviceps purpurea. Fumago vagans. Gloeosporium sp. Phoma sp. Phoma sp. Scotland. Disease: Bacterium tumefaciens (crown gall). SIAM. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Rose (2).	Insect:	T. TT Nov. London.
Claviceps purpurea. Fumago vagans. Gloeosporium sp. Phoma sp. Scotland. Siam. Agropyron cristatum (3), Agropyron desertorum (3). Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Rose (2).		In Hallmodendron argenteum (1).
Fumago vagans Gloeosporium sp. Phoma sp. Scotland.		A (2) A do
Fumago vagans. Gloeosporium sp. Phoma sp. Syringa emodi (1). Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Fraxinus mandschurica (ash) (1). Fraxinus mandschurica (ash) (1). Scotland. Bacterium tumefaciens (crown gall). Rose (2).	Claviceps purpurea	
Gloeosporium sp. Acer spicatum ukurunduense (maple) (1), Acer tegmentosum (maple) (1). Phoma sp. SCOTLAND. Disease: Bacterium tumefaciens (crown gall). SIAM. Rose (2).	Fumago vagang	
Phoma sp	Gloopporium en	A cor enjoytum ukurunduanga (manla)
Phoma sp	Missoupoitum sp	(1). Acer tegmentosum (maple) (1)
Phoma sp		Fraxinus mandschurica (ash) (1).
SCOTLAND. Disease: Bacterium tumefaciens (crown gall)	Phoma sp	
Disease: Bacterium tumefaciens (crown gall)		
Bacterium tumefaciens (crown gall)	SCOTLAND.	
Insect:	Disease:	
Insect:	Bacterium tumefaciens (crown gall)	Rose (2).
Insect:		

Country of origin and name of pest.	Host.
SPAIN. Insect:	
Calandra granaria (granary weevil)	Chick pea (seed) (1).
Diseases:	
Aspergillus Pseudomonas citri (canker)	Citrus decumana (1). Do.
TRANSVAAL, SOUTH AFRICA. Disease:	
Puccinia graminis.	Lolium perenne (rye grass) (1), Secale cereate (rye) (1), wheat (2).
TRINIDAD, BRITISH WEST INDIES. Insects:	
Chrysomphalus ficus (Florida red scale)	
Disease: Macrophoma sp	Prosopis juliflora (1).
TURKEY. Insect:	
Ephestia sp. (Phycitidae)	In peach seeds (1).
56600—16——2	

LIST, BY STATES, OF PESTS COLLECTED.

[The number in parentheses following name of country indicates the number of times reported.]

State in which collected and name of pest.	Host.	Country of origin.
ALABAMA.	* * * * · ·	·
Diseases:		
Coniothyrium sp	Persimmon	Japan (1).
Phoma sp	do	Do.
A 77 77 77 77 77 77 77 77 77 77 77 77 77	·	A
nsect:		
Eriosoma sp	Pear	France (1).
Diseases:	1 0001	11unco (1).
Bacillus amylovorus (blight)	do	Do.
Bacterium tumefaciens (crown gall)	do	Do.
Phoma sp	Cherry	Do.
Phoma sp Phyllosticta sp	do	Do.
CALIFORNIA.		
nsects:		
Agromyza websteri (wistaria gall fly)		Japan (1).
Aleyrodes sp. (white fly)		Do.
Antonina crawii (scale insect)	Bamboo	Do.
Aspidiotus britannicus (scale insect)	Bay Orchid.	Belgium (2).
Cerataphis lataniae (palm aphis)	Orchid	Brazil; (1); Costa Rica (1) Nicaragua (1).
Ceroplastes ceriferus (wax scale)	Camellia.	Japan (1).
Chionaspis wistariae (wistaria scale)	Wistaria	Do.
- Chrysomphalus ficus (Florida red scale)	Aspidistra lurida	Do.
Cicada eggs	Persimmon	Japan (3).
Do	Wistaria	Japan (1).
* Coccus hesperidum (soft brown scale)	Bay	Belgium'(2).
Diaspis boisduvalii (scale insect)	Orchid	Philippine Islands (1).
Hemichionaspis aspidistrae (aspidistra scale)	Aspidistra	Japan (4).
Lepidosaphes lasianthi (scale insect)	Camellia	Japan (3).
Lepidosaphes newsteadii (scale insect)	Umbrella pines	Japan (2).
Lepidosaphes ulmi (oyster-shell scale)	Boxwood.	Holland (3).
Mantis eggs		Japan (1).
Do	Retinospora obtusa Umbrella pines	Do. Do.
Do	?	Do.
Monarthropalpus buxi (box leaf miner)	Boxwood	France (1).
Noctuid moths, adults	In packing.	Japan (1).
Parlatoria calianthina (scale insect)	Olive trees	Greece (1).
Porthetria dispar (gipsy moth) (2 complete and	Thuya	Japan (1).
6 partial egg masses).		
Pseudaonidia duplex (scale insect)	Azalea	Do.
Do	Camellia	Do.
Pseudaonidia paeoniae (scale insect)	Azalea	Japan (2).
DoPseudococcus sp. (mealy bug)	Camellia	Japan (3).
Do		Japan (3). Brazil (1).
Do	do	Philippine Islands (1).
Do	Taonaba	Japan (1).
Do	Wistaria	Do.
Psyllid.	Aralia.	Do.
Saissetia oleae (black scale)		Greece (1).
Thyridopteryx sp. (bagworm)	Azalea	Japan (1).
Do	Retinospora obtusa	Do.
Do	Umbrella pines	Do.
Do	1 ?	

State in which collected and name of pest.	Host.	Country of origin.
CALIFORNIA—continued.		
Diseases:	Fruit stocks	France (1).
Bacterium tumefaciens (crown gall) Colletotrichum gloeosporioides	Citrus	Japan (23).
Diaporthe parasitica (chestnut-bark disease)	Chestnut	Japan (1).
Pseudomonas citri (canker)	Citrus	Japan (5).
CONNECTICUT.		
nsects:	•	•
Agelastica alni (Chrysomelidae)	Evergreen shrubs	Holland (1).
Do	Warrah alam arlaman	Holland (2).
Capsid Chionaspis salicis (scale insect)	Myrobolan plums	Holland (1).
Emphytus cinctus (sawfly)	Green ash cross stickdo.	England (1) .
Do	Rose	France (6).
Do	Apple	France (1).
Do	Spruce trees	De. ´´
Lepidosaphes ulmi (ovster-shell scale)	Boxwood	Holland (8).
Notolophus antiqua (European tussock moth)	Maple	Holland (2).
(eggs).	Rose	France (1)
Porthetria dispar (gipsy moth) (empty cocoon	Apple stock	France (1) .
and larval skin).	hppic block	20.
Pseudaonidia paeoniae (scale insect)	Rhododendron	Japan (1).
Diseases:		
Ascomycete, immature	Apple stock	France (1) .
Bacterium tumefaciens (crown gall)	Rose	France (2).
Pestalozzia guepini	Rhododendron	Holland (1).
Phyllosticta aucubicola	Aucuba Rhododendron	Do. Do.
I hynosucta sp	Timododonaron:	D 0.
DISTRICT OF COLUMBIA.		
Agriotes sp	In soil around azeleas	Holland (1).
Do	In soil around rhododendrons	• Do.
Anystis sp	Cytisus dallimorei	England (1).
Aphids	Crataegus	Holland (1).
DoAspidiotus hederae (ivy scale)	Picea alba	Do. Chile (1).
Aspidiotus perniciosus (San Jose scale)	Jujube (Zizyphus)	China (1).
Blapstinus punctulatus	Annona sp.	Chile (1).
Brachymyrmex levis var. fusculus (ant)	do	Do.
Bruchophagus sp	Astragalus seed	Greece (1).
Bruchus obtectus (bean weevil)	Paradise tree seed	China (1).
Bruchus n. sp. (weevil)	Dolichos lablab	British Guiana (1).
Bruchus sp. (weevil)	In Halimodendron argentum	Russia (1).
Do	Soap bean	China (1). Egypt (1).
Calandra granaria (granary weevil)	Chick pea (seed)	Spain (1).
Calandra oryza (rice weevil)	Pera de campo seeds	Brazil (1).
Do	Pitanga seeds	Do.
Carpophilus dimidiatus (sap beetle)	Cacti	Do.
Caryoborus bactris (Bruchidae)	Dactyloctenium aegyptium	Do.
Cathartus advena (foreign grain beetle)	In débris from seeds of Carica papaya.	Do.
Do	Pera de campo seeds	Do.
Catorama sp. (Ptinidae)	In cotton seed	Peru (1).
Cryptorhynchus mangiferae (mango weevil)	Mango seed	Siam (1).
Diaspis pentagona (West Indian peach scale)	Cherry	Japan (2).
Ephestia sp. (Phycitidae)	In peach seeds	Turkey (1).
Gelechia gossypiella (pink boll worm)	Cotton seed	China (1). Japan (1).
Isotoma sp. (springtail)		
Laria rufimana (weevil)	do	Do.
DoLepidosaphes ulmi (oyster-shell scale)	Vicia fabaBoxwood	
Ц0	A TOTAL TOMORITOR OF THE ACT OF T	Ligypo (I).

	State in which collected and name of pest.	Host.	Country of origin.
,	DISTRICT OF COLUMBIA—continued.	,	
Ins	ects—Continued.		
	Myzus sp. (aphid)	Hortensia	Holland (1).
	Pachymerus chinensis (cow pea weevil)	In "Nok too" seeds	Japan (1).
	Parlatoria chinensis (scale insect)	Peach	China (2).
	Pseudococcus citri (citrus mealy bug)	Chayotes	Guadeloupe, French West In dies (1).
	Psylla buxi (box psylla)	Boxwood	Holland (1).
	Rhizoglyphus hyacinthi (bulb mite)	Hyacinth bulb	Holland (1).
	Do	Montbretias bulbs	England (1).
	Do	Palm seeds	Honduras (1).
	Do	White yampee (yam)	Canal Zone (1).
	Rhizopertha dominica (lesser grain borer)	Yeheb nuts	Arabia (1).
	Saissetia oleæ (black scale)	Chayotes	Guadeloupe, French West In dies (1).
	Silvanus advena (Cucujidae)	Cacti	Brazil (1).
	Silvanus signatus (Cucujidae)	Seed, Hyphaene coriacea	Madagascar (1).
	Sitodrepa panicea (Ptinidae)	Grass seed.	Australia (1).
	Do	Lettuce seed,	
	D_0	Tomato seed	England (1).
1	Tribolium confusum (confused flour beetle)	Yeheb nuts	Arabia (1).
	Trogosita virescens	Annona sp	Chile (1).
	Tyroglyphus siro (mite)	Rose cuttings	England (1).
	Tyroglyphus sp. (mite)	Mangifera caesia	Java (1).
Dis	eases:		
	Alternaria sp.	Wheat	India (1).
	Anthracnose (Gloeosporium sp.)	Prosopis juliflora	Jamaica (1).
	Aspergillus sp	Citrus decumana	Java (1).
	Do	Down house	t= 112
	Bacterium tumefaciens (crown gall)	Raspberry	
	Botrytis cinerea. Botrytis sp	Rose Lathyrus sp. (Pea family)	Holland (1). Holland (2).
	Do	Rose	
-	Do	Viola	England (1).
-	Botrytis sp. Conidia and Sclerotia	Cypella Herbertis	England (1).
	Chaetodiplodia sp	Orchid	
	Cladosporium carpophilum	Prunus persica	Australia (1).
	Cladosporium citri	Hesperethusa crenulata	India (1).
	D_0	Limonia acidissima	Dò.
	Cladosporium sp	Raspberry	England (4).
	Claviceps purpurea	Agropyron cristatum	Russia (3).
	Do	Agropyron desertorum	Do.
	Claviceps sp	Lolium perenne (rye grass)	New Zealand (1).
	Colletotrichum gloeosporioides.	Citrus	Java (1).
	Colletotrichum lindemuthianum	Phaseolus lunatus (white Lima	Brazil (1).
	Coniothyrium fuckelii	bean). Raspberry	England (4).
	Coniothyrium sp	Citrus decumana	Java (1).
	Corticium vagum, var. solani (Rhizoctonia)	Irish potato	
	Diplodia cacaoicola	Theobroma cacao (cacao fruits)	Brazil (1).
	Diplodia tubericola (Java black rot)	Colocasia sp. (twin dasheen)	Canal Zone (1).
	Do	Yam	Canal Zone (3).
	Fumago vagans	Syringa emodi	Russia (1).
	Fusarium sp	Aralia cordata (Udo roots)	Japan (1).
	Do	Beta (beet seed)	Japan (1).
	Do	Canna roots	France (1) .
	Do	Citrus decumana	Java (1).
	Do	Pisum arvense	Australia (1).
	Do	Rose	Holland (1).
	Do	Wheat	Australia (3).
		do	India (1).
		Cactus plants.	New Zealand (1). Honduras (1).
	Do.	Carcara hrantas	Tronuuras (1).

State in which collected and name of pest.	Host.	Country of origin.
DISTRICT OF COLUMBIA—continued.		
Diseases—Continued. Gloeosporium sp	Acer spicatum ukurunduense	Russia (1).
Groeosportum sp	(maple).	Trussia (1).
Do	Acer tegmentosum (maple)	Do.
Do	Fraxinus mandschurica (ash)	Do.
Helminthosporium sp	Wheatdo	Australia (3). China (2).
Do	do	India (1).
Heterodera radicicola (nematode)	Solanum sp. (wild potato)	Argentina (1).
Lasiodiplodia sp	Nephelium lappaceum	Java (1).
Macrophoma sp	Prosopis juliflora	Jamaica (1).
Do	do	Trinidad, B. W. I. (1).
Macrosporium, spotting due to Nematodes in twigs	Prunus persica (peach)	Jamaica (1). France (1).
Pestalozzia guepini	Rhododendron	Holland (2).
Pestalozzia sp	Aegle glutinosa	Philippine Islands (1).
Phoma sp	do	Do.
Do	Beta (beet seed)	Japan (1).
Do	Diospyros sp. (?) (Mame Gaki- Nale tree).	Do.
Do	Fraximus mandschurica (ash)	Russia (1).
Do	Prosopis juliflora	Jamaica (1).
<u>D</u> o	Prunus	Japan (4).
Do	Raspberry	England (1).
Do Phragmidium	Syringa losika Raspberry	Do. Do.
Phyllachora tricholaenae	Tricholaena rosea.	India (1).
Phyllosticta sp	Citrus.	Java (1).
Do	Hedera helix (English ivy)	Holland (2).
Pseudomonas citri (canker)	Aegle glutinosa	Philippine Islands (1).
Do	Citrus decumana	Java (1).
Do	Citrus sp.	Straits Settlements (1). Java (1).
Puccinia graminis.	Lolium perenne (rye grass)	Transvaal, South Africa, (1).
Do.	Secale cereate (rye)	Do.
Do	Wheat	Australia (1).
Do	do	China (1).
Do	do	Guatemala (1). India (3).
$egin{array}{cccccccccccccccccccccccccccccccccccc$	do	Transvaal, South Africa (2).
Puccinia phyllostachydis.	Phyllostachys aurea	Japan (1).
Puccinia sp.	Bambusa vulgaris (bamboo)	Japan (1).
Sclerotia	Cypella platensis	England (1).
Sphacelotheca sorghi (smut)	Andropogon sorghum (broom	Greece (1).
Spongospora subterranea (powdery scab)	corn). Irish potato	Ireland (1).
Tilletia foetens	Wheat	China (1).
Uromyces hedysari-obscuri	Hedysarum boreale	Canada (1).
Uromyces lespedezae	Lespedeza bicolor	Japan (1).
Ustilago hordei (smut) Vermicularia sp	Barley	New Zealand (2).
Vermicularia sp	ily).	Holland (1).
FLORIDA.	,y).	
Insects:		
Earwig (Forficulidae)	In straw packing of Cycas stems.	Japan (1).
Grubs, white	do	Do.
Grubs, white Pseudococcus sp. (mealy bug) Red spider	Pineapple slips (plants)	Cuba (1).
Red spider	dō	Dò.
GEORGIA.		
Insects:	1	· ,
Coccus hesperidum (soft brown scale)	Evergreen shrubs	France (1).
Red spider	Pittosporum plants	Do.

State in which collected and name of pest.	Host.	Country of origin.
HAWAII.		V
Insect: Aspidiotus cyanophylli (scale insect)	Orchid	Canal Zone (1).
ILLINOIS.		
Aphid eggsAphids.		England (1). France (3).
Borers. Eriosoma lanigera (woolly aphis). Do	Malus angustifolia, root of Apple	France (1). England (1). France (1).
Diseases: Bacterium tumefaciens (crown gall) Do	Rosedo	England (1). Scotland (1).
Bacterium tumefaciens (hairy root)	Apple	England (1).
Insects:	and the second s	•
Agelastica alni (Chrysomelidae)	Boxwood	Holland (1). Holland (4). France (1).
Do	Picea excelsa Norway maple	Do. Holland (2).
Elaterid larvae (wireworms) Eriosoma lanigera (woolly aphis) Do	In soil around clematis Apple Malus-flowering crab	Holland (1). France (1). Holland (1).
Lachnus fasciatus (aphid) Lachnus hyalinus (aphid)	Picea sp	France (1). France (3).
Lachnus sp. (aphid) Lecanium sp. (scale insect) Lepidosaphes ulmi (oyster-shell scale)	Juniperus virginiana Fraxinus sp. Boxwood	France (1). Do. Holland (10).
Mamestra sp. (Noctuidae)	RhedodendronBoxwood	Holland (1). Do.
Ďo. Do. Do.	Magnolia Maple Rose	Do. Do. Do.
Diseases:	Trose	D0.
Bacterium tumefaciens (crown gall) Do	Crataegus sp	France (1). Do.
Do. Do. Do.	Lonicera	France (2). France (1). France (2)
DoBacterium tumefaciens (hairy root)	Weigelia	England (2). France (1). Do.
Frankia sp. (root knot)	Elaeagnus	Do. Holland (2).
Nectria sp Volutella buxi	Boxwood.	France (1). Holland (2).
Insects:		
Aleyrodes sp. (white fly)	Azalea Cherry	Belgium (1). France (1).
Borers	Birch, near root portion Bolleana poplars, in roots of Apple	Do. Do. Do.
Eriosoma sp	Pear	Do.
Bacterium tumefaciens (crown gall)	Alnus glutinosa	Do. Do.
Do	Hydrangea. Japanese quince. Maple.	Holland (2). France (1). Holland (1).
Do	Pear Prunus pissardi	France (3).

State in which collected and name of pest.	Host.	Country of origin.
${f rowa}$ —continued.		
Diseases—Continued. Bacterium tumefaciens (crown gall) Do	Snowball	France (2). France (1). Belgium (1).
KANSAS.		r
Insect: Lepidosaphes ulmi (oyster-shell scale) Do	Boxwood	Holland (1). Do.
Insects:		4
Aphid eggs. Bombus sp. Chaitophorus aceris (aphid). Chrysomelid (beetle). Leaf hopper, nymph. Leaf roller. Lepidosaphes ulmi (oyster-shell scale). Do. Do. Pseudococcus sp. (mealy bug). Wireworms.	Boxwood	Holland (1). Do. Do. Do. Do. Do. France (1). Holland (1). Holland (9). Holland (1). Do. Do.
•	Retinospora sp.	D0.
Disease: Volutella buxi	Boxwood	Belgium (1).
LOUISIANA.		
Insects: Aleyrodes sp. (white fly) Aspidiotus (Hemiberlesia) palmae (scale insect). Ischnaspis longirostris (scale insect) Pinnaspis buxi (scale insect) Pseudococcus virgatus farinosus (mealy bug) Pseudococcus sp. (mealy bug)	dododododo	Honduras (1). Do. Do. Do. Do. Do. Do.
MARYLAND.		,
Insects: Euproctis chrysorrhoea (brown-tail moth) (nest). Lepidosaphes ulmi (oyster-shell scale)	Fruit stocks	France (1). Holland (3).
Disease: Exobasidium rhododendri	Azalea	Belgium (1).
MASSACHUSETTS.		`.
Coccus hesperidum (soft brown scale) Lepidosaphes ulmi (oyster-shell scale) Do	Plum Bay Boxwood Crataegus	Do. Holland (1). Holland (5). England (1).
Disease: Bacterium tumefaciens (crown gall)	Flowering cherry	Do.
MICHIGAN.		
Insect: Eriosoma lanigera (woolly aphis) Do	Apple	France (1). Do.
MINNESOTA.		•
Insects: Aphids. Do. Disease:	do	France (1). Holland (2).
Bacterium tumefaciens (crown gall)	Clematis	Holland (1).

State in which collected and name of pest.	Host.	Country of origin.
MISSOURI.		
sects:		
Diaspis pentagona (West Indian peach scale)	Japanese flowering cherry	Japan (1).
Eriosoma lanigera (woolly aphis)	Doucin stock	France (1).
Lepidosaphes ulmi (oyster-shell scale)	Boxwood	Holland (2).
Parlatoria sp. (scale insect)	Japanese flowering cherry	
	Japanese nowering cherry	Japan (1).
iseases:	D	T2 (1)
Bacterium tumefaciens (crown gall)	Pear	France (1).
_ Do	Plum	Do.
Exobasidium sp	Azalea	Belgium (4).
Phyllosticta sp	Cornus sanguinea	France (1).
Do	Coronilla emerus	$\mathbf{Do.}$
Do	Linden	Do.
	,	20.
NEBRASKA.		
sects:	Doom	E (1)
	Pear	France (1).
Sawfly cocoon	Quince	Do.
Slugs	Spruce	Holland (1).
NEW HAMPSHIRE.		* · · · · · · · · · · · · · · · · · · ·
Bacterium tumefaciens (crown gall)	Rose	England (1).
Do	do	
Do		Holland (1).
ъо	ao	Scotland (1).
NEW JERSEY.		
sects:		
Antonina crawii (scale insect)	Bamboo	Japan (1).
Aphid eggs.	Birch	Holland (1).
Aphids	Apple	France (1).
Do	do	Holland (1).
	Staphylea colchica (?)	England (1).
Agnidiating tourses (hamlask goals)		
	Hemlock	Japan (2) .
Chrycomphalus ficus (Florida red scale)	Olea fragrans	Japan (1).
	Bay	Belgium (1).
Epidiaspis piricola (European pear scale)	Apple	France (1).
Do	Pear	Do .
Gracilaria zachrysa (leaf miner)	Azalea	Japan (3).
Lepidosaphes ulmi (oyster-shell scale)	Apple	France (1).
Do	do	Holland (3).
	Boxwood.	Erongo (1)
		France (1).
Do	do	Holland (20).
	Pear	France (1).
Do	do	Holland(2).
Do	Plum	France (1).
Mites	Boxwood	Holland (1).
Monarthropalpus buxi (box leaf miner)	do	France (1).
	do.	Holland (1).
Paratenodera sinensis, egg mass	rine	Japan (2) .
Parlatoria pergandei (chaff scale)	Maple	$\mathbf{Japan}\ (1).$
Pseudococcus sp (mealy bug)	Azalea	Japan (3).
Do	Camellia	Holland (1).
Pseudoscorpion.	In packing	Japan (1).
Tingitid eggs (lacewing)	Rhododendron	England (1).
Do		Holland (3).
seases:		
	Peach	England (1).
Do	Rose	Holland (1).
Botrytis sp.	Scotch broom	England (1).
		9 \-/-
NEW YORK CITY (FEDERAL INSPECTION).		
sects:		
Aspidiotus camelliae (greedy scale)	Agave Wightii	Jamaica (1).
Asterolecanium aureum (scale insect)		Isle of Pines (1).

State in which collected and name of pest.	Host.	Country of origin.
NEW YORK CITY (FEDERAL INSPECTION)—contd.		
Transta Continued		
Insects—Continued. Cerataphis lataniae (palm aphis)	Latania borbonica	Cuba (2).
Charge in a learn of (Paralides)	Orchid	Brogil (1)
Chrysauginae, larva of (Pyralidae)	Latania borbonica	
Onrysomphanus neus (Florida red scale)	Palm seedling	Jamaica (1).
Do		
Chrysomphalus personatus (masked scale)	dodo.	Canal Zone (1).
Chrysso sp. (Theridiidae)	0-41	
Coccus elongatus (long scale).	Croton leaves	
Cyphomyrmex salvini, undescribed variety of (fungus-growing ant).		
Dermestes vulpinus (beetle)	do	
Diaspis boisduvalii (scale insect)	Latania borbonica	
<u>D</u> o	Orchid	Mexico (1).
Do	Palm seedling	Jamaica (1).
Diaspis echinocacti (cacti scale insect)		
Diaspis pentagona (West Indian peach scale)	Jasmine	Jamaica (1).
Diaspis zamiae (scale insect)	Sago palm	Bermuda (1).
Eucalymnatus tessellatus (scale insect)	Gardenia	Belgium (1).
Hemichionaspis minor (white scale of cotton)	Agave Wightii	Jamaica (1).
Do	Orchid	Canal Zone (1).
Hopatrinus pallus (Tenebrionidae)	Pines	Cuba (1).
Leaf miners	Orchid	Colombia (1).
Lepidosaphes gloverii (Glover's scale)	Croton leaves	Costa Rica (1).
Lepidosaphes sp. (scale insect)	do	Costa Rica (3).
Microcentrum sp., eggs	Orchid	Brazil (1).
Noctuid larva.	do	Colombia (1).
Odontomachus haematoda (ant)	Orchid (?)	Do.
Depletarie ereteria (geole ingest)	Croton leaf	Costa Rica (1).
Parlatoria crotonis (scale insect)		Colombia (1).
Periplaneta australasiae (Australian roach)	Dracaena sp	Tomojos (1)
Pinnaspis buxi (scale insect)		Jamaica (1). Trinidad, B. W. I. (1).
Pseudaonidia articulatus (scale insect)	Areca sp.	Irinidad, B. W. I. (1).
Do	Cinnamon	Jamaica (1).
Do	Pandanus sp	Cuba (1).
Pseudischnaspis bowreyi (scale insect)	Agave wigntii	Jamaica (1).
Pseudococcus nipae (palm mealy bug)	Cocos nucifera	Do.
Pseudoparlatoria parlatorioides (scale insect)	Orchid	Mexico (1).
Pulvinaria pyriformis (pyriform scale)	Cinnamon	Jamaica (1).
Saissetia hemisphaerica (hemispherical scale)	Metroxylon sagu	Bermuda (1).
Targionia biformis (scale insect)	Orchid	Canal Zone (1).
Telephanus sp. (Cucujidae)	Orchid, but not an orchid in-	Colombia (1).
	sect.	
Tenthecoris bicolor (Capsidae)	Orchid	Colombia (4).
Do	do	Mexico (1).
D ₀	Wild orchid	Do.
Tetramorium guineense (ant)	Orchid	Colombia (1).
Vinsonia stellifera (stellate scale)	Deciduous wild shrub	Jamaica (1).
NORTH CAROLINA.	1	,
Insects:	Azalea	Holland (1).
Apanteles sp	Fruit tree stocks	France (1).
Epidiaspis piricola (European pear scale)	Dans tree stocks	
Do	Pear	Do.
Lepidosaphes ulmi (oyster-shell scale)	Boxwood	Holland (1).
Notolophus antiqua (European tussock moth)	Cherry	France (1).
(cocoons).	l 	T (0)
Do	Fruit tree stocks	France (2).
Disease:		Th.
Bacterium tumefaciens (crown gall)	Fruit stocks	Do
Do	Horse chestnut, root of	Holland (1).

State in which collected and name of pest.	Host.	Country of origin.
оню.		
Insects:	Oh owner	Emana (1)
Apatela auricoma (dagger moth)	CherryRose.	$ \begin{array}{c} \text{France (1).} \\ \text{Do.} \end{array} $
	do	Holland (1).
	do	France (1).
Eriosoma lanigera (woolly aphis)	Apple	Do.
Lepidosaphes ulmi (oyster-shell scale)	Boxwood	Holland (9).
Do	Cratægus	Holland (1).
Notolophus antiqua (European tussock moth) (eggs).	Azalea	Do.
` Do	Birch	France (1).
<u>D</u> o	Cherry	Do.
<u>D</u> o	Plum	Do.
Do	Rose	Do.
Zeuzera pyrina (leopard moth)	Paradise apple stock	Do.
Bacterium tumefaciens (crown gall)	Flowering cherry	Holland (1).
\mathbf{p}_{0}	Pear	France (1).
Do	Rose stocks	England (3).
Twig blight	Pear stock	Holland (1).
OREGON. Disease:		
Myxosporium sp	Chestnut	Japan (1).
PENNSYLVANIA.		
Insects:	,	
	Beech	France (1).
Do	do	Holland (1).
<u>D</u> o	Birch	_ Do.
Do	Cherry	Japan (1).
Chionaspis euonymi (euonymus scale)	Euonymus	Holland (1).
Diaspis carueli (Juniper scale)	Japan Golden Juniper	Do.
Do Eriophyes buxi (mite)	Juniperus reevesiana	Do. Do.
Eriosoma lanigera (woolly aphis)	Apple.	France (1).
Eriosoma sp.	Pear	Do.
	Paradise apple stocks	Do.
Lepidosaphes ulmi (oyster-shell scale)	Apple	England (1).
Do	Boxwood	Holland (14).
Leptobyrsa explanata (Tingitidae) (eggs)	Rhododendron	Holland (5).
Mite eggs.	Junipers	Holland (9).
Do	Retinospora	Holland (1).
Mites	Boxwood	Do.
Do Monarthropalpus buxi (box leaf miner)	Cycas stems Boxwood	Japan (1). Holland (5).
Notolophus antiqua (European tussock moth)	Plum	France (1).
(egg mass).	Darah	II-111 (1)
Phyllaphis fagi, eggs	Beech	Holland (1).
Psylla buxi (box psylla)	Boxwood	Holland (19).
Bacterium tumefaciens (crown gall)	Apple	France (1).
Do	Cytisus laburnum	Holland (1).
Do	Doucin stocks.	France (1).
Do	Pear	Do.
Bacterium tumefaciens (hairy root)	Apple	France (4).
	Malus spectabilis	Holland (1).
Do	Paradise apple stocks	France (1).
	Rhododendron	Holland (2).
	Norway maples	France (1).
Pestalozzia guepini	AndromedaRhododendron	Holland (1). Holland (10).
Do Pestalozzia sp	Kalmia latifolia (?)	Holland (1).

State in which collected and name of pest.	Host.	Country of origin.
RHODE ISLAND. Insect: Red spider Do	Sciadopitys	Holland (1).
Disease: Bacterium tumefaciens (crown gall)	Rose stocks	England (2).
TENNESSEE. Insect: Apatela auricoma (dagger moth)	Fruit stocks	France (1).
Disease: Bacterium tumefaciens (crown gall)	Fruit stocks	France (1).
VERMONT. Diseases: Corticium vagum, var. solani. Oospora scabies (common potato scab). Phyllosticta magnoliae. Spongospora subterranea (powdery scab).	Irish potatodo Magnolia. Irish potato	England (3). England (2). Holland (1). England (3).
VIRGINIA. Insects: Apatela auricoma (dagger moth) Eriosoma lanigera (woolly aphis) Disease: Bacterium tumefaciens (crown gall)		France (1). Do. Do.
WASHINGTON (STATE). Insect: Lepidosaphes ulmi (oyster-shell scale)	Boxwood	Holland (2).
WEST VIRGINIA. Insect: Eriosoma lanigera (woolly aphis)	Apple	France (1).
wisconsin. Insect: Psylla buxi (box psylla) Disease: Bacterium tumefaciens (crown gall)		